



**EXHIBIT A**

Legal :

Abbreviated Legal TAX #52  
(ROS 37-120) TAX #51 (ROS  
37-120

Parcel # / Geo ID  
1646740 1646735

Section: 34

Township: 33  
Range: 37

Address 3315 Spirit Ridge Way Rice, wa. 99167

Buyer \_\_\_\_\_

Buyer \_\_\_\_\_

Seller \_\_\_\_\_

Seller \_\_\_\_\_

*Purchaser, Seller and Closing Agent are authorized to insert, add or correct the legal description of the above property before closing. Information is deemed to be reliable, but is not guaranteed.*



# WATER WELL REPORT

State of Washington Date Printed: 19-Nov-2009 Log No. 0  
 Construction / Decommission: Original  
 Construction Construction Notice **368855**

CURRENT  
 Notice of Intent No.: WE10832  
 Unique Ecology Well I.D. No BBL751  
 Water Right Permit Number:  
 OWNER: SUNDAY LAKE, LLC

PROPOSED USE: DOMESTIC

OWNER ADD P O BOX 488  
 LIBERTY LAKE, WA 99019

TYPE OF WORK: Owners's Well Number: (if more than one well)  
**NEW WELL** Method: **ROTARY**

Well Add 3294 BRADEEN ROAD

City: Gifford, WA 99131 County: Stevens  
 Location: SW 1/4 NE 1/4 Sec 34 T 33 R 37E EW

DIMENSIONS Diameter of well: 6 inches  
 Drilled 600 ft. Depth of completed well 600 ft.

Lat/Long: Lat Deg Lat Min/Sec  
 (s, t, r still REQUIRED) Long Deg Long Min/Sec

CONSTRUCTION DETAILS: Casing installed **WELDED**  
 Liner installed: PVC  
 4 " Dia from 20 ft. to 600 ft. " Dia from ft. to ft.

Tax Parcel No.: 1646575

**CONSTRUCTION OR DECOMMISSION PROCEDURE**  
 Formation: Describe by color, character, size of material and structure. Show thickness of aquifers and the kind and nature of the material in each stratum penetrated. Show at least one entry for each change in formation.

Perforations: Yes Used In: LINER  
 Type of perforator used SKILL SAW  
 SIZE of perforations 1/8 in. b 6 in.  
 150 Perforation from 500 ft. to 600 ft.  
 Perforation from ft. to ft.  
 Perforation from ft. to ft.

Material	From	To
TOP SOIL	0	5
SAND & GRAVEL	5	25
SOFT GREENISH GREY LIMESTONE	25	60
SOFT GREY LIMESTONE	60	355
MEDIUM DARK GREY LIMESTONE	355	390
MEDIUM LIGHT GREY LIMESTONE	390	395
MEDIUM DARK GREY LIMESTONE	395	435
MEDIUM LIGHT GREY LIMESTONE	435	495
MEDIUM DARK GREY LIMESTONE	495	515
GREENISH GREY LIMESTONE	515	530
GREY LIMESTONE	530	600

Screens: 0 K-Pac Location  
 Manufacture's Name  
 Type: Model No  
 Diam. slot size from ft. to ft.  
 Diam. slot size from ft. to ft.

Gravel/Filter packed: No Size of Gravel  
 Material placed fro ft. to ft.

Surface seal: Yes To what depth 27 ft.  
 Seal method: Material used in seal BENTONITE  
 Did any strata contain unusable water No  
 Type of water Depth of strata  
 Method of sealing strata off

PUMP: Manufacture's name  
 Type: H.P. 0

WATER LEVELS Land-surface elevation above mean sea level: 0 ft.  
 Static level 16 ft. below top of well Date 11/13/2009  
 Artesian Pressure lbs per square inch Date  
 Artesian water controlled by

WELL TESTS: Drawdown is amount water level is lowered below static level.  
 Was a pump test made No If yes, by whom  
 Yield gal/min with ft drawdown after  
 Yield gal/min with ft drawdown after  
 Yield gal/min with ft drawdown after

Recovery data (time taken as zero when pump turned off)(water level measured from well top to water level)

Time:	Water Level	Time:	Water Level	Time:	Water Level

Date of test:  
 Bailer test gal/min ft drawdown after hrs.  
 Air test 1 gal/min w/ stem set at 600 ft. for 1 hours  
 Artesian flow gpm Date  
 Temperature of water Was a chemical analysis made No

RECEIVED

NOV 24 2009

DEPARTMENT OF ECOLOGY  
 EASTERN REGIONAL OFFICE

Work start 11/10/2009 Complete 11/13/2009

WELL CONSTRUCTION CERTIFICATION:  
 I constructed and/or accept responsibility for construction of this well and its compliance with all Washington well construction standards. Materials used and the information reported are true to my best knowledge and belief.

Driller  Engineer  Trainee  
 Name: SAM BEARDSLEE License No.: 2905  
 Signature: *S B*

If trainee, Licensed driller is: License No.:  
 Licensed Driller Signature

Drilling Company:  
 NAME: FOGLE PUMP & SUPPLY, INC. Shop: COLVILLE  
 ADDRESS: 316 W. 5TH  
 Colville, WA 99114  
 Phone: 509-684-2569 Toll Free: 800-533-6518  
 E-Mail: jeanne@foglepump.com  
 FAX: 509-684-3032 WEB Site: www.foglepump.com  
 Contractor's  
 Registration No.: FOGLEPS095L4 Date Log Created: 11/11/2009

THE DEPARTMENT OF ECOLOGY DOES NOT GUARANTEE THE DATA ANYWHERE ON THIS WELL REPORT.

The Department of Ecology does NOT warrant the data and/or the information on this well report.

"The Water Professionals"



316 West Fifth  
Colville, WA 99114  
1-800-533-6518  
(509) 684-2569 Phone  
(509) 684-3032 Fax

P.O. Box 456  
1 Smith Drive  
Republic, WA 99166  
1-800-845-3500  
(509) 775-2878 Phone  
(509) 775-0498 Fax

(Spokane)  
P.O. Box 1450  
12019 W. Sunset Hwy.  
Airway Heights, WA 99001  
1-888-343-9355  
(509) 244-0846 Phone  
(509) 244-2875 Fax

Well Drilling . Pumps . Water Treatment

393742

### HYDRO-FRACTURING LOG

ORIGINAL NOTICE OF INTENT WE10832 NOTICE OF INTENT NO. WE11663  
UNIQUE ID NO. BBL751  
TAX PARCEL NO. 1646575

OWNER: SUNDAY LAKE LLC  
MAILING ADDRESS: PO BOX 488 LIBERTY LAKE, WA 99019  
WELL ADDRESS: PO BOX 488 LIBERTY LAKE, WA 99019  
LEGAL: COUNTY STEVENS SW 1/4 NE 1/4 SEC 34 TWN 33 RNG 37E

TOTAL DEPTH 600' DIAMETER 6

WELL TESTS:  
YEILD: GAL/MIN WITH FT. DRAWDOWN AFTER HOURS  
PRE-FRAC: 1  
POST-FRAC:

HYDRO-FRACTURING LOG: HYDRO-FRACTURED AT DEPTHS OF:  
500 - 560 2300 PSI → 800 PSI  
420 - 480 2000 PSI → 750 PSI  
360 - 420 1800 PSI → 900 PSI  
280 - 340 1100 PSI → 800 PSI

HYDRO-FRACTURE CERTIFICATION:  
I HYDRO-FRACTURED AND/OR ACCEPT RESPONSIBILITY FOR THE HYDRO-FRACTURE OF THIS WELL AND ITS COMPLIANCE WITH ALL WASHINGTON STANDARDS FOR THIS PROCEDURE. ALL INFORMATION ON THIS REPORT IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

RECEIVED

AUG 24 2010

DEPARTMENT OF ECOLOGY  
EASTERN REGIONAL OFFICE

DRILLER: ROD FOGLE LIC. NO. 1194  
(please print)

CONTRACTOR NAME: FOGLE PUMP & SUPPLY, INC.  
ADDRESS: 316 W. 5TH COLVILLE, WA 99114  
PHONE: 509-684-2569 TOLL FREE: 1-800-533-6518 FAX: 509-684-3032

SIGNED: Rod Fogle LIC. NO. 1194

CONTRACTOR'S REGISTRATION NO. FOGLEPSO95L4 DATE: 06/24/2010

→ THERE IS A WELL QUANTITY TEST ON FILE AT FOGLE THAT STATES A 2.5 GPM RESULT