WATER WELL REPORT DEPARTMENT OF	Notice of Intent No. WE53277		
ECOLOGY	Unique Ecology Well ID Tag No. BPC518		
Type of Work: State of Washington Construction	Site Well Name (if more than one well):		
☐ Decommission	Water Right Permit/Certificate No.		
Proposed Use: Domestic Industrial Municipal	Property Owner Name DENNIS SHELLENBARO	GER	
☐ Dewatering ☐ Irrigation ☐ Test Well ☐ Other	Well Street Address 31 CARVER LANE		
Construction Type: Method:	City KETTLE FALLS County FERRY	/	
 ■ New well	Tax Parcel No. 73509210002100		
Dimensions: Diameter of boring 6 in., to 440 ft.	Was a variance approved for this well? ☐ Yes ■	l No	
Depth of completed well 440 ft.			
Construction Details: Wall Casing Liner Diameter From To Thickness Steel PVC Welded Thread	If yes, what was the variance for?		
■ □ 6 in. +2 43 0.25 in. ■ □ ■ □	Location (see instructions on page 2): ☐ WWM or ■ EWM		
■ □ 5 in. +2 435 0.25 in. ■ □ ■ □	NE 1/4-1/4 of the NW 1/4; Section 9 Township 35N Range 37E		
in.	Latitude (Example: 47.12345)		
	Longitude (Example: -120.12345)		
Perforations: \(\text{Yes} \) \(\text{No. of perforations} \) Yos of perforations \(\text{Size of perforations} \) in.	Driller's Log/Construction or Decommission Procedure		
Perforated from ft. to ft. below ground surface	Formation: Describe by color, character, size of material an nature of the material in each layer penetrated, with at least		
Screens: ■ Yes □ No ■ K-Packer □ Depth 434 ft.	information. Use additional sheets if necessary.		
Manufacturer's Name ALLOY MACHINE WORKS Type STAINLESS Model No.	Material	From	То
Type STAINLESS Model No. Diameter 5" TEL in. Slot size 218 in. from 435 ft. to 440 ft.	TOP SOIL	0	1
Diameter in. Slot size in. from ft. to ft.	SAND GRAY CLAY	35	35
Sand/Filter pack: Yes No Size of pack material in.	SILTY AND CLAY	395	430
Materials placed from ft. to ft.	SAND w/WATER	430	440
Surface Seal: Yes No To what depth? 18 ft.			
Material used in seal BENTONITE Did any strata contain unusable water? □ Yes ■ No	-		
Type of water? Depth of strata			-
Method of sealing strata off	-		+
Pump: Manufacturer's Name Type:		-	+
H.P Pump intake depth: ft. Designed flow rate: gpm	_		
Water Levels: Land-surface elevation above mean sea level ft. Stick-up of top of well casing 2 ft. above ground surface			
Static water level 200 ft. below top of well casing Date 7/14/23			
Artesian pressure lbs. per square inch Date		+	-
Artesian water is controlled by (cap, valve, etc.)		+	+
West a numbing test performed? No. Von https://www.dom.ni.gov.			
Was a pumping test performed? ■ No □ Yes ⇒ by whom? Yield gpm with ft. drawdown after hrs.			
Yield gpm with ft. drawdown after hrs.			
Yieldgpm withft. drawdown afterhrs. Recovery data (time = zero when pump is turned off – water level measured from well		-	-
top to water level)		+	+
Time Water Level Time Water Level Time Water Level		1	
Date of numning test			
Date of pumping test ft. drawdown after hrs.			-
Air test 15 gpm with stem set at 433 ft. for 1 hrs Date 7/14/23	.]]		+
Artesian flowgpm PF Was a chemical analysis made? ☐ Yes ■ No	0/00/20	714 : 105	
WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept	Start Date 6/29/23 Completed Date responsibility for construction of this well, and its compli		Vashington v
construction standards. Materials used and the information reported above are t	true to my best knowledge and belief.		
■ Driller □ Trainee □ PE – Print Name SAM BEARDSLEE	Drilling Company BEARDSLEE DRILLING		
Signature	Address 409 E. ASTOR AVE		
License No. 2905	City, State, Zip COLVILLE, WA 99114		
IF TRAINEE: Sponsor's License No.	Contractor's	, a. a	7/19/22
Sponson's Cignoture	Danistantian No. REARINI 818MA	D-4- 7	178772

ECY 050-1-20 (Rev 08/19) If you need this document in an alternate format, please call the Water Resources Program at 360-407-6872. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.